

Product Datasheet / Instruction for use



# Rabbit IgG anti-Bovine IgG (H+L)-HRPO, MinX none

## **General Information**

Quantity: 20 mg Reco Reco Ship Proc Antibody Host / Format Host Species: Rabbit Clor	sical State: onstitution Volume: onstitution Buffer: oping Conditions: duct Expiration ality / Isotype / Clor centration:	Restore with deionized water (or equivalent) at room temperature Expiration date is one (1) year from date of opening.		
Antibody Host / Format Host Species: Rabbit Clor	onstitution Buffer: pping Conditions: duct Expiration ality / Isotype / Clor	Restore with deionized water (or equivalent) at room temperature Expiration date is one (1) year from date of opening.		
Antibody Host / Format Host Species: Rabbit Clor	pping Conditions: duct Expiration ality / Isotype / Clor	at room temperature Expiration date is one (1) year from date of opening.		
Antibody Host / Format Host Species: Rabbit Clor	duct Expiration nality / Isotype / Clor	Expiration date is one (1) year from date of opening.		
Antibody Host / Format Host Species: Rabbit Clor	ality / Isotype / Clor	opening.		
Host Species: Rabbit Clor		e: polyclonal Ig		
		e: polyclonal Ig		
Antibody Format: IgG whole molecule Con	centration.			
		10.0 mg/mL by UV absorbance at 280 nm		
Con	jugation:	Horseradish Peroxidase (HRP)		
Max	Maximum Excitation / Emission: /			
Specificity				
Target Species: Bovine Imm	unogen:	Bovine IgG whole molecule		
frac proc chrc abo	Anti-BOVINE IgG (H&L) (RABBIT) Antibody Peroxidase Conjugated is an Ig fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin a against anti-Peroxidase, anti-Rabbit Serum, Bovine IgG and Bovine Serur			
Min	Minimal Cross Reactivity: none			
Formulation, Transport and Storage				
0.15 M Sodium Chloride, pH 7.2 cont	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.			
Stabilizer: 10 mg/mL Bovine Serum roor				
	Storage Temperature: 4-8°C			
Application Recommendation				

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.							
Manufacturer				Management System			
BIOZOL Diagnostica Vertrieb GmbH Leipziger Straße 4	Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de	www.dianova.com	TÜVRheinland	ISO 9001:2015			
85386 Eching	www.biozol.de	Powered by BIOZOL	ZERTIFIZIERT	www.tuv.com ID 9000019771			



#### Product Datasheet / Instruction for use



**Application:** ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

Dilution: ELISA 1:10.000 - 1:50.000, Immunohistochemistry (IHC) 1:500 - 1:2,500, Western Blot (WB) 1:1.000 - 1:10.000

#### **Application Note:**

Anti-BOVINE IgG (H&L) (RABBIT) Antibody Peroxidase Conjugated has been assayed against 1.0 ug of Bovine IgG in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:17,000 to 1:70,000 of the reconstitution concentration is suggested for this product.

### **Background Information**

Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsinization for phagocytosis. This product possesses the F(ab) region possessing the epitope-recognition site, both heavy and light chains of the antibody molecule are present. Anti-BOVINE IgG (H&L) (RABBIT) Antibody Peroxidase Conjugated generated in goat detects specifically bovine IgG whole molecule. Anti-Bovine IgG antibody is ideal for investigators involved in Serum Protein Component Protein research.

### **Safety Information**

This reagent contains Gentamicin Sulfate (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.DO NOT ADD SODIUM AZIDE! Use of Sodium Azide as a preservative will substantially inhibit the enzyme activity of horseradish peroxidase!

### Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL Diagnostica Vertrieb GmbH Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL

TÜVRheinland ZERTIFIZIERT

Management System ISO 9001:2015