

Product Datasheet / Instruction for use



Rabbit IgG anti-Goat IgG (H+L)-ATTO 425, MinX Ms,Rb

General Information

Catalog Number: SEC-182860	Physical State:	Lyophilized		
Quantity: 0,5 mg	Reconstitution Volume:	500 μL		
	Reconstitution Buffer:	Restore with deionized water (or equivalent)		
	Shipping Conditions:	at room temperature		
	Product Expiration	Expiration date is one (1) year from date of opening.		
Antibody Host / Format				
Host Species: Rabbit	Clonality / Isotype / Clor	ne: polyclonal Ig		
Antibody Format: IgG whole molecule	e Concentration:	1.0 mg/mL by UV absorbance at 280 nr		
	Conjugation:	ATTO 425		
	Maximum Excitation / E	Maximum Excitation / Emission: 439 nm / 485 nm		
Specificity	I			
Target Species: Goat	Immunogen:	Goat IgG whole molecule		
Antibody Specificity: IgG (H+L)	monospecific antiserum IgG coupled to agarose b remove any unwanted re resulted in a single precip Goat Serum. No reaction Serum Proteins. This ant			
Antibody Specificity: IgG (H+L)	monospecific antiserum IgG coupled to agarose b remove any unwanted re resulted in a single precip Goat Serum. No reaction Serum Proteins. This ant	by immunoaffinity chromatography using Goat leads followed by solid phase adsorption(s) to eactivities. Assay by immunoelectrophoresis pitin arc against anti-Rabbit Serum, Goat IgG and h was observed against Human, Mouse or Rabbi bibody will react with heavy chains of Goat IgG most Goat immunoglobulins.		
Antibody Specificity: IgG (H+L) Formulation, Transport and Storage	monospecific antiserum IgG coupled to agarose b remove any unwanted re resulted in a single precip Goat Serum. No reaction Serum Proteins. This ant and with light chains of r Minimal Cross Reactivity	by immunoaffinity chromatography using Goat leads followed by solid phase adsorption(s) to eactivities. Assay by immunoelectrophoresis pitin arc against anti-Rabbit Serum, Goat IgG and h was observed against Human, Mouse or Rabbi bibody will react with heavy chains of Goat IgG most Goat immunoglobulins.		
	monospecific antiserum IgG coupled to agarose b remove any unwanted re resulted in a single precip Goat Serum. No reaction Serum Proteins. This ant and with light chains of r Minimal Cross Reactivity7.2Store vial at 4° C prior to contents and freeze at -2	by immunoaffinity chromatography using Goat leads followed by solid phase adsorption(s) to eactivities. Assay by immunoelectrophoresis pitin arc against anti-Rabbit Serum, Goat IgG and h was observed against Human, Mouse or Rabbi bibody will react with heavy chains of Goat IgG most Goat immunoglobulins. If Mouse, Rabbit restoration. For extended storage aliquot 20° C or below. Avoid cycles of freezing and		
Formulation, Transport and Storage Storage Buffer: 0.02 M Potassium	 monospecific antiserum IgG coupled to agarose b remove any unwanted re resulted in a single precip Goat Serum. No reaction Serum Proteins. This ant and with light chains of r Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -2 thawing. Centrifuge prote room temperature. This 	by immunoaffinity chromatography using Goat leads followed by solid phase adsorption(s) to eactivities. Assay by immunoelectrophoresis pitin arc against anti-Rabbit Serum, Goat IgG an n was observed against Human, Mouse or Rabbi bibody will react with heavy chains of Goat IgG most Goat immunoglobulins. y: Mouse, Rabbit restoration. For extended storage aliquot		
Formulation, Transport and Storage Storage Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH Stabilizer: 10 mg/mL Bovine Seru Albumin (BSA) - Immunoglobulin and Pro	 monospecific antiserum IgG coupled to agarose b remove any unwanted re resulted in a single precip Goat Serum. No reaction Serum Proteins. This ant and with light chains of n Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -2 thawing. Centrifuge prov room temperature. This undiluted liquid. Dilute of Storage Temperature: 	by immunoaffinity chromatography using Goat leads followed by solid phase adsorption(s) to eactivities. Assay by immunoelectrophoresis pitin arc against anti-Rabbit Serum, Goat IgG an n was observed against Human, Mouse or Rabbi cibody will react with heavy chains of Goat IgG most Goat immunoglobulins.		

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.						
Manufacturer				Management System		
BIOZOL Diagnostica Vertrieb GmbH Leipziger Straße 4	Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de	www.dianova.com Your Secondary Antibody Portal	TÜVRheinland	ISO 9001:2015		
85386 Eching	www.biozol.de	Powered by BIOZOL	ZERTIFIZIERT	www.tuv.com ID 9000019771		



Product Datasheet / Instruction for use



Application: FLISA, Immunofluorescence, Western Blot

Dilution: FLISA >1:20.000, Immunofluorescence >1:5,000, Western Blot (WB) >1:10.000

Application Note:

Rabbit Anti-Goat IgG (H&L) Antibody conjugated to ATTO425 is designed for STED microscopy, FRET, immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. The emission spectra for this ATTO conjugate matches the principle output wavelengths of most common fluorescence instrumentation.

Background Information

Anti-Goat IgG ATTO dye Antibody generated in rabbit detects goat IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsinization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well as the F(ab) region possessing the epitope-recognition site. Both heavy and light chains of the antibody molecule are present.

Safety Information

This reagent contains sodium azide (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.

Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management System ISO 9001:2015