



Cyclin D2 Ab-2 (Clone DCS-3.1)

Mouse Monoclonal Antibody

Cat. #DLN-08391, DLN-08392, or DLN-08390 (0.1ml, 0.5ml, or 1.0ml at 200µg/ml) (Purified Ab with BSA and Azide)

Cat. #DLN-08393 or DLN-08394 (0.1ml or 0.2ml at 1.0mg/ml) (Purified Ab without BSA and Azide)

Description: Cyclin D2 is a G₁ cyclin required for G₁-phase progression and is a strong candidate for a proto-oncogene. Cyclin D2 can phosphorylate pRB when associated with cdk4 and/or cdk6.

Comments: Ab-1 is particularly well suited for neutralization of cyclin D2 activity *in vivo*.

Mol. Wt. of Antigen: 34kDa

Epitope: Not determined

Species Reactivity: Human, Mouse, and Rat. Others-not known.

Clone Designation: DCS-3.1

Ig Isotype / Light Chain: IgG_{2a} / κ

Immunogen: Purified human recombinant full length cyclin D2 protein.

Applications and Suggested Dilutions:

- Biological Blockade (Order Ab without azide)
- Flow Cytometry
- Immunofluorescence
- Immunoprecipitation (Native and denatured)
- (Use Protein A) (Ab 2µg/mg protein lysate)
(Co-precipitates cdk4)
- Western Blotting

The optimal dilution for a specific application should be determined by the investigator.

Positive Control: U-2-OS, C82, RD, Bristol-8, or LoVo36 cells. Note that T47D, ZR75, SKBR3, MCF-7, BT-20, MDA468, HBL100, BT5549, HeLa, Saos2, and HT29 cells are negative for cyclin D2.¹

Cellular Localization: Nuclear

Supplied As:

200µg/ml antibody purified from the ascites fluid by Protein A chromatography. Prepared in 10mM PBS, pH 7.4, with 0.2% BSA and 0.09% sodium azide. Also available without BSA and azide at 1mg/ml.



Cyclin D2 Ab-2 (Clone DCS-3.1)

Mouse Monoclonal Antibody

Cat. #DLN-08391, DLN-08392, or DLN-08390 (0.1ml, 0.5ml, or 1.0ml at 200µg/ml) (Purified Ab with BSA and Azide)

Cat. #DLN-08393 or DLN-08394 (0.1ml or 0.2ml at 1.0mg/ml) (Purified Ab without BSA and Azide)

Storage and Stability:

Ab with sodium azide is stable for 24 months when stored at 2-8°C. Antibody WITHOUT sodium azide is stable for 36 months when stored at below 0°C.

Key References:

1. Lukas J, *et. al.* Oncogene, 1995,10:2125-34.
2. Bartkova J; *et al.* Cancer Research, 1995, 55:949-56.

Limitations and Warranty:

Our products are intended FOR RESEARCH USE ONLY and are not approved for clinical diagnosis, drug use or therapeutic procedures. No products are to be construed as a recommendation for use in violation of any patents. We make no representations, warranties or assurances as to the accuracy or completeness of information provided on our data sheets and website. Our warranty is limited to the actual price paid for the product. Dianova is not liable for any property damage, personal injury, time or effort or economic loss caused by our products.

Material Safety Data:

This product is not licensed or approved for administration to humans or to animals other than the experimental animals. Standard Laboratory Practices should be followed when handling this material. The chemical, physical, and toxicological properties of this material have not been thoroughly investigated. Appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. The material contains 0.09% sodium azide as a preservative. Although the quantity of azide is very small, appropriate care should be taken when handling this material as indicated above. The National Institute of Occupational Safety and Health has issued a bulletin citing the potential explosion hazard due to the reaction of sodium azide with copper, lead, brass, or solder in the plumbing systems. Sodium azide forms hydrazoic acid in acidic conditions and should be discarded in a large volume of running water to avoid deposits forming in metal drainage pipes.

For Research Use Only