

RevMAb Biosciences USA, Inc. 870 Dubuque Ave, South San Francisco, CA 94080, USA

Beratung und Vertrieb

Fon + 49 (0) 40 45 067 0

Fax + 49 (0) 40 450 67 490

info@dianova.de

www.dianova.de Warburgstr. 45 • 20354 Hamburg

Rabbit Monoclonal Antibody Product:

Anti-Human IgD Rabbit Monoclonal Antibody,

Clone RM123

Catalog No.: 31-1025-00

Lot No.:

RM123 Clone

Specificity This antibody reacts to human IgD. No cross reactivity

with human IgG, IgM, IgA, or IgE.

Application: ELISA, Immunohistochemistry, Immunocytochemistry,

Flow Cytometry.

Immunogen: Human IgD

Protein A affinity purified from an animal origin-free **Purity:**

culture supernatant

Size: 100 µg

Concentration: 1.0 mg/mL

Buffer: 50% Glycerol/PBS with 1% BSA and 0.09% sodium azide

ELISA: 25ng/well - 200ng/well (for Capture); Usage:

0.01ug/mL - 0.1ug/mL (for Detection);

IHC, ICC: 0.5ug/mL - 2ug/mL;


Storage and Stability:

Stable for 1 Year at -20.0°C from date of receipt.


Country of Origin: U.S.A.

Intended Use: For Research Use Only Not for Diagnostic or


Therapeutic Use



Sandwich ELISA using RM123 as the capture antibody (100ng/well), and Biotinylated antihuman light chains ($\kappa+\lambda$) antibody RM129 as the detection antibody, followed by an alkaline phosphatase conjugated streptavidin.



ELISA of human immunoglobulins shows RM123 reacts to IgD from human plasma and IgDk from human myeloma. No cross reactivity with human IgG, IgM, IgA, or IgE. The plate was coated with 50 ng/well of different immunoglobulins. 200 ng/mL, 50ng/mL, or 10 ng/mL of RM123 was used as the primary antibody. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.



A titer ELISA using RM123. The plate was coated with different amounts of human IgD (from plasma). A serial dilution of RM123 was used as the primary antibody. An alkaline phosphatase conjugated anti-rabbit IgG as the secondary antibody.