

Rabbit IgG anti-Horse IgG (F(ab')₂)-FITC, MinX none

General Information

| | | | |
|------------------------|------------|-------------------------------|---|
| Catalog Number: | SEC-182556 | Physical State: | Lyophilized |
| Quantity: | 20 mg | Reconstitution Volume: | 2.0 mL |
| | | Reconstitution Buffer: | Restore with deionized water (or equivalent) |
| | | Shipping Conditions: | at room temperature |
| | | Product Expiration | Expiration date is one (1) year from date of opening. |

Antibody Host / Format

| | | | |
|-------------------------|--------------------|---------------------------------------|---------------------------------------|
| Host Species: | Rabbit | Clonality / Isotype / Clone: | polyclonal Ig |
| Antibody Format: | IgG whole molecule | Concentration: | 10.0 mg/mL by UV absorbance at 280 nm |
| | | Conjugation: | FITC (Fluoresceinisothiocyanat) |
| | | Maximum Excitation / Emission: | 492 nm / 520 nm |

Specificity

| | | | |
|------------------------------|------------------------------------|--|--|
| Target Species: | Horse | Immunogen: | Horse IgG F(ab') ₂ fragment |
| Antibody Specificity: | IgG (F(ab') ₂ Fragment) | <p>This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-fluorescein, anti-Rabbit Serum, Horse IgG, Horse IgG F(ab')₂ and Horse Serum. No reaction was observed against Horse IgG F(c).</p> | |
| | | Minimal Cross Reactivity: | none |

Formulation, Transport and Storage

| | | |
|------------------------|--|--|
| Storage Buffer: | 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2 | <p>Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.</p> |
| Stabilizer: | 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease free | |
| Preservatives: | 0.01% (w/v) Thimerosal | |
| | | Storage Temperature: 4-8°C |

Application Recommendation

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL
Diagnostica Vertrieb GmbH
Leipziger Straße 4
85386 Eching

Phone +49 (89) 3799 666 6
Fax +49 (89) 3799 666 99
E-mail info@biozol.de
www.biozol.de

www.dianova.com

Your Secondary Antibody Portal
Powered by BIOZOL



Management System
ISO 9001:2015
www.tuv.com
ID 9000019771



Application: FLISA, Flow Cytometry, Immunofluorescence

Dilution: FLISA 1:10.000 - 1:50.000, Flow cytometry 1:500 - 1:2,500, Immunofluorescence 1:1,000 - 1:5,000

Application Note:

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

Background Information

Anti-Horse IgG F(ab')₂ Fluorescein Antibody generated in rabbit is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab')₂ molecules lack the Fc portion of IgG and therefore receptors that bind horse IgG F(c) will not bind horse IgG F(ab')₂ molecules. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

Safety Information

This reagent contains Thimerosal (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.

Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL
Diagnostica Vertrieb GmbH
Leipziger Straße 4
85386 Eching

Phone +49 (89) 3799 666 6
Fax +49 (89) 3799 666 99
E-mail info@biozol.de
www.biozol.de

www.dianova.com

Your Secondary Antibody Portal
Powered by BIOZOL



Management
System
ISO 9001:2015
www.tuv.com
ID 9000019771

