

Product Datasheet / Instruction for use



# Rabbit IgG anti-Mouse IgG (H+L)-FITC, MinX none

# **General Information**

Catalog Number: SEC-182592	Physical State:	Lyophilized
Quantity: 20 mg	Reconstitution Volume:	2.0 mL
	Reconstitution Buffer:	Restore with deionized water (or equivalent)
	Shipping Conditions:	at room temperature
	Product Expiration	Expiration date is one (1) year from date of opening.
Antibody Host / Format	I	
Host Species: Rabbit	Clonality / Isotype / Clon	ne: polyclonal Ig
Antibody Format: IgG whole molecule	Concentration:	10.0 mg/mL by UV absorbance at 280 nm
	Conjugation:	FITC (Fluoresceinisothiocyanat)
	Maximum Excitation / Emission: 492 nm / 520 nm	
Specificity	I	
Target Species: Mouse	Immunogen:	Mouse IgG whole molecule
Antibody Specificity: IgG (H+L)	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensive dialysis against the buffer stated above. Assay by immunoelectrophores resulted in a single precipitin arc against anti-fluorescein, anti-Rabbit Serum, Mouse IgG and Mouse Serum.	
	Minimal Cross Reactivity: none	
Formulation, Transport and Storage	I	
<b>Storage Buffer:</b> 0.01 M Sodium Phosphate, 0.15 M Sodium Chloride, pH 7.2	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and	
Stabilizer:10 mg/mL Bovine SerumAlbumin (BSA) - Immunoglobulin and Proteasefree	thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.	
Preservatives: 0.01% (w/v) Thimerosal	Storage Temperature:	4-8°C
Application Recommendation		

Application: FLISA, Flow Cytometry, Immunofluorescence

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use. Management System Manufacturer BIOZOL ISO 9001:2015 Phone +49 (89) 3799 666 6 www.dianova.com Diagnostica Vertrieb GmbH Fax +49 (89) 3799 666 99 TÜVRheinland Your Secondary Antibody Portal Leipziger Straße 4 E-mail info@biozol.de ZERTIFIZIERT www.tuv.com ID 9000019771 Powered by BIOZOL 85386 Eching www.biozol.de



#### Product Datasheet / Instruction for use



SEC-182592 2023-02-23 2 / 2

#### Dilution: FLISA 1:10.000 - 1:50.000, Flow cytometry 1:500 - 1:2,500, Immunofluorescence 1:1,000 - 1:5,000

#### **Application Note:**

This product is designed for immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms.

## **Background Information**

Anti-Mouse IgG Fluorescein Antibody generated in rabbit detects reactivity to Mouse IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsinization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well as the F(ab) region possessing the epitope-recognition site. Both the Heavy and Light chains of the antibody molecule are present. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

# **Safety Information**

This reagent contains Thimerosal (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.

### Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management System ISO 9001:2015