

Product Datasheet / Instruction for use



# Rabbit IgG anti-Mouse IgG (F(ab')2)-HRPO, MinX none

## **General Information**

Catalog Number: SEC-182596	Physical State:	Lyophilized			
Quantity: 20 mg	Reconstitution Volume:	2.0 mL			
	<b>Reconstitution Buffer:</b>	Restore with deionized water (or equivalent)			
	Shipping Conditions:	at room temperature			
	Product Expiration	Expiration date is one (1) year from date of opening.			
Antibody Host / Format	I				
Host Species: Rabbit	Clonality / Isotype / Clon	ne: polyclonal Ig			
Antibody Format: IgG whole molecule	Concentration:	10 mg/mL by UV absorbance at 280 nm			
	Conjugation:	Horseradish Peroxidase (HRP)			
	Maximum Excitation / Er	Maximum Excitation / Emission: /			
Specificity					
Target Species: Mouse	Immunogen:	Mouse IgG F(ab')2 fragment			
Antibody Specificity: IgG (F(ab')2 Fragment)	This product is an IgG fraction antibody purified from monospecific antiserum by a multi-step process which includes delipidation, salt fractionation and ion exchange chromatography followed by extensiv dialysis against the buffer stated above. Assay by immunoelectrophor resulted in a single precipitin arc against anti-Peroxidase, anti-Rabbit Serum, Mouse IgG, Mouse IgG F(ab')2 and Mouse Serum. No reaction was observed against Mouse IgG F(c).				
	Minimal Cross Reactivity	Minimal Cross Reactivity: none			
Formulation, Transport and Storage	I				
<b>Storage Buffer:</b> 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2	contents and freeze at -2	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at			
Stabilizer: None	room temperature. This	room temperature. This product is stable for several weeks at 4° C as an			
<b>Preservatives:</b> 0.01% (w/v) Gentamicin	undiluted liquid. Dilute o	only prior to immediate use.			
Sulfate	Storage Temperature:	Storage Temperature: 4-8°C			
Application Recommendation	1				

Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.				
Manufacturer				Management System
BIOZOL Diagnostica Vertrieb GmbH Leipziger Straße 4	Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de	<u>www.dianova.com</u> Your Secondary Antibody Portal	TÜVRheinland	ISO 9001:2015
85386 Eching	www.biozol.de	Powered by BIOZOL	ZERTIFIZIERT	www.tuv.com ID 9000019771



#### Product Datasheet / Instruction for use



Dilution: ELISA 1:10.000 - 1:50.000, Immunohistochemistry (IHC) 1:500 - 1:2,500, Western Blot (WB) 1:1.000 - 1:10.000

### **Application Note:**

Secondary antibody reagents are ideal for ELISA, western blotting, Immunohistochemistry, Fluorescence Microscopy, Flow Cytometry as well as other antibody detection methods.

## **Background Information**

Anti-Mouse IgG F(ab')2 Peroxidase Antibody generated in rabbit recognizes the dimeric Fab portion of the mouse IgG molecule. Mouse IgG F(ab')2 is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme pepsin under controlled conditions of temperature, time and pH. F(ab')2 molecules lack the Fc portion of IgG and therefore receptors that bind mouse IgG F(c) will not bind mouse IgG F(ab')2 molecules. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and hostspecies source and fragment composition.

## **Safety Information**

This reagent contains Gentamicin Sulfate (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.DO NOT ADD SODIUM AZIDE! Use of Sodium Azide as a preservative will substantially inhibit the enzyme activity of horseradish peroxidase!

## Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management System ISO 9001:2015

