

Product Datasheet / Instruction for use



# Goat IgG anti-Cat IgG (F(ab')2)-HRPO, MinX none

## **General Information**

Catalog Number: S	EC-182751	Physical State:	Lyophilized	
Quantity:	2 mg	Reconstitution Volume:	1.0 mL	
		<b>Reconstitution Buffer:</b>	Restore with deionized water (or equivalent)	
		Shipping Conditions:	at room temperature	
		Product Expiration	Expiration date is one (1) year from date of opening.	
Antibody Host / For	mat			
Host Species: G	oat	Clonality / Isotype / Clon	e: polyclonal Ig	
Antibody Format: Ig	gG whole molecule	Concentration:	2.0 mg/mL by UV absorbance at 280 nm	
		Conjugation:	Horseradish Peroxidase (HRP)	
		Maximum Excitation / Emission: /		
Specificity				
Target Species:	Cat	Immunogen:	Cat IgG F(ab')2 fragment	
Antibody Specificity:	IgG (F(ab')2 Fragment)	This product was prepared from monospecific antiserum by immunoaffinity chromatography using Cat IgG coupled to agarose bead followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Peroxidase, anti-Goat Serum, Cat IgG, Cat IgG F(ab')2 and Cat Serum. No reaction was observed against Cat IgG F(c).		
		Minimal Cross Reactivity: none		
Formulation, Transp	oort and Storage			
Storage Buffer:0.02 M PotassiumPhosphate,0.15 M Sodium Chloride,Phosphate,0.15 M Sodium Chloride,Stabilizer:10 mg/mL Bovine SerumAlbumin (BSA) - Immunoglobulin and Proteasefree		Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use.		
<b>Preservatives:</b> 0.01% (w/v) Gentamicin Sulfate		Storage Temperature:	4-8°C	
Application Recomm	nendation			

This product is for In Vitro exp	erimental use only. Not for Ther	apeutic or Diagnostic use.		
Manufacturer				Management System
<b>BIOZOL</b> Diagnostica Vertrieb GmbH Leipziger Straße 4	Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de	www.dianova.com Your Secondary Antibody Portal	TÜVRheinland	ISO 9001:2015
85386 Eching	www.biozol.de	Powered by BIOZOL	ZERTIFIZIERT	www.tuv.com ID 9000019771



#### Product Datasheet / Instruction for use



Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

**Dilution:** ELISA 1:10.000 - 1:65.000, Immunohistochemistry (IHC) 1:500 - 1:2,500, Western Blot (WB) 1:1.000 - 1:5.000

#### **Application Note:**

Anti-Cat IgG F(ab')2 Peroxidase conjugate is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody-based enzymatic assays requiring lot-to-lot consistency.

### **Background Information**

Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsinization for phagocytosis. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition. Anti-Cat IgG F(ab')2 antibody is ideal for investigators in Immunology, Cancer, and Microbiology research.

### **Safety Information**

This reagent contains Gentamicin Sulfate (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.DO NOT ADD SODIUM AZIDE! Use of Sodium Azide as a preservative will substantially inhibit the enzyme activity of horseradish peroxidase!

### Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management ISO 9001:2015