

Product Datasheet / Instruction for use



# Goat IgG anti-Dog IgG (Fc)-HRPO, MinX none

## **General Information**

Catalog Number:	SEC-182815	Physical State:	Lyophilized		
Quantity:	2 mg	Reconstitution Volume:	1.0 mL		
		<b>Reconstitution Buffer:</b>	Restore with deionized water (or equivalent) at room temperature		
		Shipping Conditions:			
		Product Expiration	Expiration date is one (1) year from date of opening.		
Antibody Host / I	Format				
Host Species:	Goat	Clonality / Isotype / Clon	one: polyclonal Ig		
Antibody Format:	IgG whole molecule	Concentration:	2.0 mg/mL by UV absorbance at 280 nm		
		Conjugation:	Horseradish Peroxidase (HRP)		
		Maximum Excitation / Emission: /			
Specificity					
Target Species: Antibody Specificit	Dog <b>y:</b> IgG (Fc Fragment)	Immunogen:	Anti-Dog IgG F(c) whole molecule was produced by repeated immunization with Dog IgG F(c) whole molecule in goat.		
immunoaffinity chromato followed by solid phase ac reactivities. Assay by imm precipitin arc against anti-			ed from monospecific antiserum by ography using Dog IgG coupled to agarose beads idsorption(s) to remove any unwanted munoelectrophoresis resulted in a single i-Peroxidase, anti-Goat Serum, Dog IgG, Dog IgG reaction was observed against Dog IgG F(ab).		
		Minimal Cross Reactivity: none			
Formulation, Tra	nsport and Storage	l			
Stabilizer: 10	Sodium Chloride, pH 7.2 D mg/mL Bovine Serum	Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an			
Albumin (BSA) - Immunoglobulin and Protease free		undiluted liquid. Dilute only prior to immediate use.			
		Storage Temperature: 4-8°C			
Preservatives: 0. Sulfate	01% (w/v) Gentamicin				

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.						
Manufacturer				Management System		
<b>BIOZOL</b> Diagnostica Vertrieb GmbH Leipziger Straße 4	Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de	www.dianova.com Your Secondary Antibody Portal	TÜVRheinland	ISO 9001:2015		
85386 Eching	www.biozol.de	Powered by BIOZOL	ZERTIFIZIERT	www.tuv.com ID 9000019771		



#### Product Datasheet / Instruction for use



Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

**Dilution:** ELISA 1:10.000 - 1:50.000, Immunohistochemistry (IHC) 1:500 - 1:2,500, Western Blot (WB) 1:1.000 - 1:10.000

### **Application Note:**

This secondary antibody anti-Dog is ideal for investigators who routinely perform ELISA, Sandwich ELISA, titration assays, western-blot, immunoprecipitation and more generally immunoassays. This product has been assayed against 1.0 ug of Dog IgG in a standard capture ELISA using ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:6,000 to 1:40,000 of the reconstitution concentration is suggested for this product.

### **Background Information**

Anti-Dog IgG F(c) whole molecule antibody generated in goat detects specifically Dog IgG F(c) whole molecule. It is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of dog IgG and often this fragment is removed from immunoglobulins to minimize receptor binding and lower background reactivity.

### **Safety Information**

This reagent contains Gentamicin Sulfate (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.DO NOT ADD SODIUM AZIDE! Use of Sodium Azide as a preservative will substantially inhibit the enzyme activity of horseradish peroxidase!

### Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management System ISO 9001:2015