

Product Datasheet / Instruction for use



# Rabbit IgG anti-Goat IgG (H+L)-ATTO 550, MinX Ms,Rb

## **General Information**

Catalog Number: SEC-182868	Physical State:	Lyophilized		
Quantity: 0,5 mg	Reconstitution Volume:	500 μL		
	<b>Reconstitution Buffer:</b>	Restore with deionized water (or equivalent)		
	Shipping Conditions:	at room temperature		
	Product Expiration	Expiration date is one (1) year from date of opening.		
Antibody Host / Format				
Host Species: Rabbit	Clonality / Isotype / Clor	one: polyclonal Ig		
Antibody Format: IgG whole molecule	Concentration:	1.0 mg/mL by UV absorbance at 280 nr		
	Conjugation:	ATTO 550		
	Maximum Excitation / Emission: 554 nm / 575 nm			
Specificity	I			
Target Species: Goat	Immunogen:	Goat IgG whole molecule		
Another des Connectitations (C.C. (1991))	Goat IgG (H&L) conjugated by ATTO 550 was prepared from monospeci antiserum by immunoaffinity chromatography using Goat IgG coupled t agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-Rabbit Serum, Goat IgG and Goat Serur No reaction was observed against Human, Mouse or Rabbit Serum Proteins. This antibody will react with heavy chains of Goat IgG and wit light chains of most Goat immunoglobulins.			
Antibody Specificity: IgG (H+L)	antiserum by immunoaff agarose beads followed b unwanted reactivities. A single precipitin arc agair No reaction was observe Proteins. This antibody v	inity chromatography using Goat IgG coupled to by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a nst anti-Rabbit Serum, Goat IgG and Goat Serum d against Human, Mouse or Rabbit Serum will react with heavy chains of Goat IgG and with		
Antibody Specificity: IgG (H+L)	antiserum by immunoaff agarose beads followed b unwanted reactivities. A single precipitin arc agair No reaction was observe Proteins. This antibody v	inity chromatography using Goat IgG coupled to by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a nst anti-Rabbit Serum, Goat IgG and Goat Serum d against Human, Mouse or Rabbit Serum will react with heavy chains of Goat IgG and with immunoglobulins.		
Antibody Specificity: IgG (H+L)   Formulation, Transport and Storage	antiserum by immunoaff agarose beads followed b unwanted reactivities. A single precipitin arc agair No reaction was observe Proteins. This antibody w light chains of most Goat	inity chromatography using Goat IgG coupled to by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a nst anti-Rabbit Serum, Goat IgG and Goat Serum d against Human, Mouse or Rabbit Serum will react with heavy chains of Goat IgG and with immunoglobulins.		
	antiserum by immunoaff agarose beads followed k unwanted reactivities. A single precipitin arc agair No reaction was observe Proteins. This antibody v light chains of most Goat <b>Minimal Cross Reactivity</b> Store vial at 4° C prior to contents and freeze at -2	inity chromatography using Goat IgG coupled to by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a not anti-Rabbit Serum, Goat IgG and Goat Serum d against Human, Mouse or Rabbit Serum will react with heavy chains of Goat IgG and with immunoglobulins. Thouse, Rabbit restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and		
Formulation, Transport and Storage Storage Buffer: 0.02 M Potassium	antiserum by immunoaff agarose beads followed b unwanted reactivities. A single precipitin arc agair No reaction was observe Proteins. This antibody v light chains of most Goat <b>Minimal Cross Reactivity</b> Store vial at 4° C prior to contents and freeze at -2 thawing. Centrifuge proc room temperature. This	inity chromatography using Goat IgG coupled to by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a nst anti-Rabbit Serum, Goat IgG and Goat Serum d against Human, Mouse or Rabbit Serum will react with heavy chains of Goat IgG and with immunoglobulins. Thouse, Rabbit restoration. For extended storage aliquot		
Formulation, Transport and Storage Storage Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2 Stabilizer: 10 mg/mL Bovine Serum Albumin (BSA) - Immunoglobulin and Protease	antiserum by immunoaff agarose beads followed b unwanted reactivities. A single precipitin arc agair No reaction was observe Proteins. This antibody v light chains of most Goat <b>Minimal Cross Reactivity</b> Store vial at 4° C prior to contents and freeze at -2 thawing. Centrifuge proc room temperature. This	inity chromatography using Goat IgG coupled to by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a nst anti-Rabbit Serum, Goat IgG and Goat Serum d against Human, Mouse or Rabbit Serum will react with heavy chains of Goat IgG and with immunoglobulins. The Mouse, Rabbit restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and duct if not completely clear after standing at product is stable for several weeks at 4° C as ar		

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.					
Manufacturer			$\square$	Management System	
<b>BIOZOL</b> Diagnostica Vertrieb GmbH Leipziger Straße 4	Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de	www.dianova.com	TÜVRheinland	ISO 9001:2015	
85386 Eching	www.biozol.de	Powered by BIOZOL	ZERTIFIZIERT	www.tuv.com ID 9000019771	



#### Product Datasheet / Instruction for use



Application: FLISA, Immunofluorescence, Western Blot

Dilution: FLISA >1:20.000, Immunofluorescence >1:5,000, Western Blot (WB) >1:10.000

### **Application Note:**

Anti-Goat IgG (H&L) conjugated by ATTO 550 is designed for STED microscopy, FRET, immunofluorescence microscopy, fluorescence based plate assays (FLISA) and fluorescent western blotting. This product is also suitable for multiplex analysis, including multicolor imaging, utilizing various commercial platforms. The emission spectra for this ATTO conjugate matches the principle output wavelengths of most common fluorescence instrumentation.

#### **Background Information**

Anti-Goat IgG ATTO dye Antibody generated in rabbit detects goat IgG. Secreted as part of the adaptive immune response by plasma B cells, immunoglobulin G constitutes 75% of serum immunoglobulins. Immunoglobulin G binds to viruses, bacteria, as well as fungi and facilitates their destruction or neutralization via agglutination (and thereby immobilizing them), activation of the compliment cascade, and opsinization for phagocytosis. The whole IgG molecule possesses both the F(c) region, recognized by high-affinity Fc receptor proteins, as well as the F(ab) region possessing the epitope-recognition site. Both heavy and light chains of the antibody molecule are present.

#### **Safety Information**

This reagent contains sodium azide (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.

#### Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management System ISO 9001:2015