

Product Datasheet / Instruction for use



Rabbit IgG anti-Mouse IgG (Fc)-Biotin, MinX none

General Information

Catalog Number:	SEC-183311	Physical State:	Lyophilized
Quantity:	1,5 mg	Reconstitution Volume:	1.0 mL
		Reconstitution Buffer:	Restore with deionized water (or equivalent)
		Shipping Conditions:	at room temperature
		Product Expiration	Expiration date is one (1) year from date of opening.
Antibody Host / I	Format		
Host Species:	Rabbit	Clonality / Isotype / Clon	e: polyclonal Ig
Antibody Format:	IgG whole molecule	Concentration:	1.5 mg/mL by UV absorbance at 280 n
		Conjugation:	Biotin
		Maximum Excitation / Emission: /	
Specificity			
Target Species:	Mouse	Immunogen:	Mouse IgG F(c) fragment
Antibody Specificity: IgG (Fc Fragment)		Anti-MOUSE IgG F(c) (RABBIT) Antibody was prepared from monospecif antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Rabbit Serum, Mouse IgG, Mouse IgG F(c) and Mouse Serum. No reaction was observed against Mouse IgG F(ab).	
		antiserum by immunoaffi to agarose beads followe unwanted reactivities. A single precipitin arc again Mouse IgG F(c) and Mous	nity chromatography using Mouse IgG coupled d by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a st anti-biotin, anti-Rabbit Serum, Mouse IgG,
		antiserum by immunoaffi to agarose beads followe unwanted reactivities. A single precipitin arc again Mouse IgG F(c) and Mous	nity chromatography using Mouse IgG coupled d by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a st anti-biotin, anti-Rabbit Serum, Mouse IgG, se Serum. No reaction was observed against
Formulation, Tra	nsport and Storage	antiserum by immunoaffi to agarose beads followe unwanted reactivities. A single precipitin arc again Mouse IgG F(c) and Mous Mouse IgG F(ab).	nity chromatography using Mouse IgG coupled d by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a st anti-biotin, anti-Rabbit Serum, Mouse IgG, se Serum. No reaction was observed against
Storage Buffer: 0.	nsport and Storage	antiserum by immunoaffi to agarose beads followe unwanted reactivities. A single precipitin arc again Mouse IgG F(c) and Mous Mouse IgG F(ab). Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20	nity chromatography using Mouse IgG coupled d by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a st anti-biotin, anti-Rabbit Serum, Mouse IgG, se Serum. No reaction was observed against : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and
Storage Buffer: 0. Phosphate, 0.15 M Stabilizer: 10	nsport and Storage .02 M Potassium	antiserum by immunoaffi to agarose beads followe unwanted reactivities. A single precipitin arc again Mouse IgG F(c) and Mous Mouse IgG F(ab). Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20 thawing. Centrifuge proc room temperature. This	nity chromatography using Mouse IgG coupled d by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a st anti-biotin, anti-Rabbit Serum, Mouse IgG, se Serum. No reaction was observed against : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and luct if not completely clear after standing at
Storage Buffer: 0. Phosphate, 0.15 M Stabilizer: 10 Albumin (BSA) - Imp free	nsport and Storage .02 M Potassium Sodium Chloride, pH 7.2 0 mg/mL Bovine Serum	antiserum by immunoaffi to agarose beads followe unwanted reactivities. A single precipitin arc again Mouse IgG F(c) and Mous Mouse IgG F(ab). Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20 thawing. Centrifuge proc room temperature. This	nity chromatography using Mouse IgG coupled d by solid phase adsorption(s) to remove any ssay by immunoelectrophoresis resulted in a st anti-biotin, anti-Rabbit Serum, Mouse IgG, se Serum. No reaction was observed against : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and luct if not completely clear after standing at product is stable for several weeks at 4° C as a

Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use. Management Manufacturer System BIOZOL ISO 9001:2015 Phone +49 (89) 3799 666 6 www.dianova.com Diagnostica Vertrieb GmbH Fax +49 (89) 3799 666 99 TÜVRheinland Your Secondary Antibody Portal Leipziger Straße 4 E-mail info@biozol.de ZERTIFIZIERT www.tuv.com ID 9000019771 Powered by BIOZOL 85386 Eching www.biozol.de



Product Datasheet / Instruction for use

ELISA 1:2,000 - 1:20,000, Immunohistochemistry (IHC) 1:1,000 - 1:5,000, Western Blot (WB) 1:2.000 - 1:10.000 Dilution:

Application Note:

Anti-MOUSE IgG F(c) (RABBIT) Antibody is suitable for immunoblotting (western or dot blot), ELISA, immunoelectron microscopy and immunohistochemistry as well as other antibody based enzymatic assays requiring lot-to-lot consistency.

Background Information

Anti-MOUSE IgG F(c) Biotin Antibody generated in rabbits detects specifically Mouse IgG F(c). It is a proteolytic fragment of immunoglobulin G (IgG) obtained by limited digestion with the enzyme papain under controlled conditions of temperature, time and pH. Receptors bind the Fc portion of mouse IgG and often this fragment is removed from immunoglobulins to minimize receptor binding and lower background reactivity. Anti-mouse IgG F(c) is ideal for investigators involved in Serum Protein Component research.

Safety Information

This reagent contains sodium azide (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.

Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management System ISO 9001:2015

SEC-183311 2023-02-23 2 / 2