

BIOZOL FIT FOR SCIENCE SEC-183446 2023-02-23 1/2

# Goat IgG anti-Rat IgG+IgM+IgA (H+L)-HRPO, MinX none

## **General Information**

| Catalog Number: SEC-183446  | Physical State:  | Lyophilized  |
|---|--|--|
| Quantity: 2 mg  | Reconstitution Volume:   | 1.0 mL   |
|   | <b>Reconstitution Buffer:</b>  | Restore with deionized water (or equivalent)   |
|   | Shipping Conditions:   | at room temperature  |
|   | Product Expiration   | Expiration date is one (1) year from date of opening.  |
| Antibody Host / Format  |  |  |
| Host Species: Goat  | Clonality / Isotype / Clor   | e: polyclonal Ig   |
| Antibody Format: IgG whole molecule   | Concentration:   | 2.0 mg/mL by UV absorbance at 280 nr   |
|   | Conjugation:   | Horseradish Peroxidase (HRP)   |
|   | Maximum Excitation / Emission: /   |  |
| Specificity   | I  |  |
| Target Species: Rat   | Immunogen:   | Rat IgG, IgA and IgM whole molecules   |
| Antibody Specificity: IgG + IgM + IgA<br>(H+L)                                  | prepared from polyspecial<br>using Rat antigens couple<br>adsorption(s) to remove<br>immunoelectrophoresis r<br>Peroxidase and anti-Goat   | L) Antibody, Peroxidase Conjugated, was<br>fic antiserum by immunoaffinity chromatograp<br>ed to agarose beads followed by solid phase<br>any unwanted reactivities. Assay by<br>resulted in a single precipitin arc against anti-<br>c Serum. This reagent is suitable for the detection<br>in isotypes and chain combinations. |
|   | Minimal Cross Reactivity: none   |  |
| Formulation, Transport and Storage  | I  |  |
| Storage Buffer: 0.02 M Potassium Phosphate, 0.15 M Sodium Chloride, pH 7.2      | Store vial at 4° C prior to restoration. For extended storage aliquot contents and freeze at -20° C or below. Avoid cycles of freezing and   |  |
| Stabilizer:10 mg/mL Bovine SerumAlbumin (BSA) - Immunoglobulin and Proteasefree | thawing. Centrifuge product if not completely clear after standing at room temperature. This product is stable for several weeks at 4° C as an undiluted liquid. Dilute only prior to immediate use. |  |
|   | 1  | -  |
| Preservatives: 0.01% (w/v) Thimerosal   | Storage Temperature:   | 4-8°C  |

Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use. Management Manufacturer System BIOZOL ISO 9001:2015 Phone +49 (89) 3799 666 6 www.dianova.com Diagnostica Vertrieb GmbH Fax +49 (89) 3799 666 99 TÜVRheinland Your Secondary Antibody Portal Leipziger Straße 4 E-mail info@biozol.de ZERTIFIZIERT www.tuv.com ID 9000019771 Powered by BIOZOL 85386 Eching www.biozol.de



#### Product Datasheet / Instruction for use



SEC-183446 2023-02-23 2 / 2

Dilution: ELISA 1:100.000, Immunohistochemistry (IHC) 1:500-1:1,500, Western Blot (WB) 1:500-1:3.000

#### **Application Note:**

Anti-Rat IgG IgA IgM Antibody is suitable for immunoassays where reactivity to different classes of rat immunoglobulins is desired. Antibody has been tested by ELISA, western blot immunoblot, and immunohistochemistry. Optimal concentrations in immunoassays should be determined by the researcher.

## **Background Information**

Rat IgG IgA IgM (H&L) Antibody detects immunoglobulin G, A, and M from Rat. Immunoglobulin G binds to antigens and can neutralize or opsinize targts, and are predominantly involved in the secondary immune response. Immunoglobulin A (IgA) is an antibody that plays a critical role in mucosal immunity. IgA has two subclasses (IgA1 and IgA2) and can exist in a dimeric form called secretory IgA (sIgA). Immunoglobulin M, or IgM, is a pentamer composed of 5 immunogobulin molecules linked through their F(c) domain by the J chain.

## **Safety Information**

This reagent contains Thimerosal (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.DO NOT ADD SODIUM AZIDE! Use of Sodium Azide as a preservative will substantially inhibit the enzyme activity of horseradish peroxidase!

## Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL

TÜVRheinland ZERTIFIZIERT ID 9000019771

ISO 9001:2015

Management

System