

Product Datasheet / Instruction for use



Goat IgG anti-Rat IgM (μ)-Biotin, MinX none

General Information

Catalog Number: SEC	C-183489	Physical State:	Lyophilized
Quantity:	1 mg	Reconstitution Volume:	1.0 mL
		Reconstitution Buffer:	Restore with deionized water (or equivalent)
		Shipping Conditions:	at room temperature
		Product Expiration	Expiration date is one (1) year from date of opening.
Antibody Host / Form	nat		
Host Species: Go	at	Clonality / Isotype / Clon	e: polyclonal Ig
Antibody Format: IgG	whole molecule	Concentration:	1.0 mg/mL by UV absorbance at 280 nr
		Conjugation:	Biotin
		Maximum Excitation / Er	nission: /
Specificity	I		
Target Species:	Rat	Immunogen:	Rat IgM whole molecule
Antibody Specificity: IgM (μ-Chain/ Fc Fragment)		This product was prepared from monospecific antiserum by immunoaffinity chromatography using Rat IgM coupled to agarose beac followed by solid phase adsorption(s) to remove any unwanted reactivities. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti-biotin, anti-Goat Serum, Rat IgM and Rat Serum. No reaction was observed against other rat heavy or light chain proteins.	
		reactivities. Assay by imprecipitin arc against anti Serum. No reaction was	munoelectrophoresis resulted in a single -biotin, anti-Goat Serum, Rat IgM and Rat
		reactivities. Assay by imprecipitin arc against anti Serum. No reaction was	munoelectrophoresis resulted in a single -biotin, anti-Goat Serum, Rat IgM and Rat observed against other rat heavy or light chain
Formulation, Transpo	ort and Storage	reactivities. Assay by imprecipitin arc against anti Serum. No reaction was proteins.	munoelectrophoresis resulted in a single -biotin, anti-Goat Serum, Rat IgM and Rat observed against other rat heavy or light chain
	1 Potassium	reactivities. Assay by imprecipitin arc against anti Serum. No reaction was of proteins. Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20	munoelectrophoresis resulted in a single -biotin, anti-Goat Serum, Rat IgM and Rat observed against other rat heavy or light chain : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and
Storage Buffer: 0.02 N Phosphate, 0.15 M Sodie	1 Potassium um Chloride, pH 7.2 /mL Bovine Serum	reactivities. Assay by imprecipitin arc against anti Serum. No reaction was of proteins. Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20 thawing. Centrifuge proc room temperature. This	munoelectrophoresis resulted in a single -biotin, anti-Goat Serum, Rat IgM and Rat observed against other rat heavy or light chain : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and luct if not completely clear after standing at
Storage Buffer: 0.02 N Phosphate, 0.15 M Sodiu Stabilizer: 10 mg, Albumin (BSA) - Immuno free	1 Potassium um Chloride, pH 7.2 /mL Bovine Serum	reactivities. Assay by imprecipitin arc against anti Serum. No reaction was of proteins. Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20 thawing. Centrifuge proc room temperature. This	munoelectrophoresis resulted in a single -biotin, anti-Goat Serum, Rat IgM and Rat observed against other rat heavy or light chain : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and luct if not completely clear after standing at product is stable for several weeks at 4° C as ar

Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use. Management Manufacturer System BIOZOL ISO 9001:2015 Phone +49 (89) 3799 666 6 www.dianova.com Diagnostica Vertrieb GmbH Fax +49 (89) 3799 666 99 TÜVRheinland Your Secondary Antibody Portal Leipziger Straße 4 E-mail info@biozol.de ZERTIFIZIERT www.tuv.com ID 9000019771 Powered by BIOZOL 85386 Eching www.biozol.de



Product Datasheet / Instruction for use



Dilution: ELISA 1:20.000 - 1:100.000, Immunohistochemistry (IHC) 1:1,000 - 1:5,000, Western Blot (WB) 1:2.000 -1:10.000

Application Note:

This product has been assayed against 1.0 ug of Rat IgM in a standard capture ELISA using Peroxidase Conjugated Streptavidin #S000-03 and ABTS (2,2'-azino-bis-[3-ethylbenthiazoline-6-sulfonic acid]) code # ABTS-100 as a substrate for 30 minutes at room temperature. A working dilution of 1:20,000 to 1:100,000 of the concentration is suggested for this product.

Background Information

Anti-Rat IgM antibody generated in goat specifically detects rat IgM mu heavy chain. Immunoglobulin M is the largest antibody isotype and the first to be secreted against an initial exposure to antigen. IgM is predominantly produced in the spleen. Formed from covalently linking 5 immunoglobulins together, the approximate molecular weight of IgM is 900kDa and possesses 10 binding sites (though due to the size of most antigens, not all sites are capable of binding at once). Due to this large size, IgM is typically isolated to the serum. Anti-Rat IgM antibody is ideal for investigators in Immunology, Microbiology, and Cell Biology. This Rat IgM is conjugated to Biotin.

Safety Information

This reagent contains sodium azide (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.

Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL



Management System ISO 9001:2015