




Goat F(ab')2 anti-Mouse IgG (Fc)-Alk. Phos., MinX Bo,Ho,Hu

General Information

Catalog Number:	SEC-183796	Physical State:	Liquid (sterile filtered)
Quantity:	0,5 mg	Reconstitution Volume	:
		Reconstitution Buffer:	
		Shipping Conditions:	Wet Ice
		Product Expiration	Expiration date is one (1) year from date of opening.
Antibody Host / Fo	ormat	1	
Host Species:	Goat	Clonality / Isotype / Clo	ne: polyclonal Ig
Antibody Format:	lgG F(ab')2 Fragment	Concentration:	0.6 mg/mL by UV absorbance at 280 nr
		Conjugation:	Alkaline Phosphatase
		Maximum Excitation / Emission: /	
Specificity			
Target Species:	Mouse	Immunogen:	Mouse IgG F(c) fragment
Antibody Specificity: IgG (Fc Fragment)		This product was prepared from monospecific antiserum by immunoaffinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorption(s) to remove any unwanted reactivities, pepsin digestion and chromatographic separation. Assay by immunoelectrophoresis resulted in a single precipitin arc against anti- Alkaline Phosphatase, anti-Goat Serum, Mouse IgG, Mouse IgG F(c) and Mouse Serum. No reaction was observed against anti-Pepsin, anti-Goat IgG F(c), Mouse IgG F(ab) or Bovine, Horse and Human Serum Proteins.	
		beads followed by solid reactivities, pepsin diges immunoelectrophoresis Alkaline Phosphatase, a Mouse Serum. No react	phase adsorption(s) to remove any unwanted stion and chromatographic separation. Assay by resulted in a single precipitin arc against anti- nti-Goat Serum, Mouse IgG, Mouse IgG F(c) and cion was observed against anti-Pepsin, anti-Goat
		beads followed by solid reactivities, pepsin diges immunoelectrophoresis Alkaline Phosphatase, a Mouse Serum. No react IgG F(c), Mouse IgG F(at	phase adsorption(s) to remove any unwanted stion and chromatographic separation. Assay by resulted in a single precipitin arc against anti- nti-Goat Serum, Mouse IgG, Mouse IgG F(c) and cion was observed against anti-Pepsin, anti-Goat
Formulation, Trans	sport and Storage	beads followed by solid reactivities, pepsin diges immunoelectrophoresis Alkaline Phosphatase, a Mouse Serum. No react IgG F(c), Mouse IgG F(at	phase adsorption(s) to remove any unwanted stion and chromatographic separation. Assay by resulted in a single precipitin arc against anti- nti-Goat Serum, Mouse IgG, Mouse IgG F(c) and tion was observed against anti-Pepsin, anti-Goat b) or Bovine, Horse and Human Serum Proteins.
Storage Buffer: 0.0 Sodium Chloride, 0.0	5 M Tris Chloride, 0.15M	beads followed by solid reactivities, pepsin diges immunoelectrophoresis Alkaline Phosphatase, a Mouse Serum. No react IgG F(c), Mouse IgG F(at Minimal Cross Reactivit Store vial at 4° C before at 4° C as an undiluted I	phase adsorption(s) to remove any unwanted stion and chromatographic separation. Assay by resulted in a single precipitin arc against anti- nti-Goat Serum, Mouse IgG, Mouse IgG F(c) and tion was observed against anti-Pepsin, anti-Goat b) or Bovine, Horse and Human Serum Proteins.
Storage Buffer: 0.0 Sodium Chloride, 0.0 Chloride, 0.0001M Zi	5 M Tris Chloride, 0.15M 01M Magnesium inc Chloride, 50% (v/v)	beads followed by solid reactivities, pepsin diges immunoelectrophoresis Alkaline Phosphatase, a Mouse Serum. No react IgG F(c), Mouse IgG F(ak Minimal Cross Reactivit Store vial at 4° C before at 4° C as an undiluted li Freezing alkaline phospl	phase adsorption(s) to remove any unwanted stion and chromatographic separation. Assay by resulted in a single precipitin arc against anti- nti-Goat Serum, Mouse IgG, Mouse IgG F(c) and tion was observed against anti-Pepsin, anti-Goat o) or Bovine, Horse and Human Serum Proteins. y: Bovine, Horse, Human opening. DO NOT FREEZE. This product is stab iquid. Dilute only prior to immediate use.
Storage Buffer: 0.0 Sodium Chloride, 0.0 Chloride, 0.0001M Zi Glycerol; pH 8.0	5 M Tris Chloride, 0.15M 01M Magnesium inc Chloride, 50% (v/v) ne	beads followed by solid reactivities, pepsin diges immunoelectrophoresis Alkaline Phosphatase, a Mouse Serum. No react IgG F(c), Mouse IgG F(ak Minimal Cross Reactivit Store vial at 4° C before at 4° C as an undiluted li Freezing alkaline phospl of enzymatic activity.	phase adsorption(s) to remove any unwanted stion and chromatographic separation. Assay by resulted in a single precipitin arc against anti- nti-Goat Serum, Mouse IgG, Mouse IgG F(c) and cion was observed against anti-Pepsin, anti-Goat o) or Bovine, Horse and Human Serum Proteins. y: Bovine, Horse, Human opening. DO NOT FREEZE. This product is stab iquid. Dilute only prior to immediate use. natase conjugates will result in a substantial loss





Product Datasheet / Instruction for use



Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

Dilution: ELISA 1:2,000 - 1:10,000, Immunohistochemistry (IHC) 1:200 - 1:1,000, Western Blot (WB) 1:500 - 1:2.500

Application Note:

This product has been assayed against 1.0 µg of Mouse IgG in a standard capture ELISA using pNPP p-nitrophenyl phosphate code # NPP-10 as a substrate for 30 minutes at room temperature. A working dilution of 1:4,000 to 1:20,000 of the reconstitution concentration is suggested for this product. Suitable for immunomicroscopy and flow cytometry or FACS analysis as well as other antibody based fluorescent assays requiring lot-to-lot consistency.

Background Information

F(ab')2 Anti-Mouse IgG F(c) Alkaline Phosphatase Antibody was generated in goat and detects specifically Mouse IgG F(c). Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

Safety Information

The product contains no hazardous constituents. Standard Laboratory Practices should be followed when handling this material.

Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL

TÜVRheinland ZERTIFIZIERT ID 9000019771

ISO 9001:2015

Management

System