

Product Datasheet / Instruction for use



Goat Fab anti-Guinea Pig IgG (H+L)-Biotin, MinX none

General Information

Catalog Number:	SEC-183934	Physical State:	Lyophilized
Quantity:	1 mg	Reconstitution Volume:	1.0 mL
		Reconstitution Buffer:	Restore with deionized water (or equivalent)
		Shipping Conditions:	at room temperature
		Product Expiration	Expiration date is one (1) year from date of opening.
Antibody Host / Fo	ormat		
Host Species:	Goat	Clonality / Isotype / Clon	e: polyclonal Ig
Antibody Format:	IgG Fab Fragment	Concentration:	1.0 mg/mL by UV absorbance at 280 m
		Conjugation:	Biotin
		Maximum Excitation / Er	nission: /
Specificity	I		
Target Species:	Guinea Pig	Immunogen:	Guinea Pig IgG whole molecule
Antibody Specificity: IgG (H+L)		This product was prepared from monospecific antiserum by immunoaffinity chromatography using Guinea Pig IgG coupled to agaros beads followed by solid phase adsorption(s) to remove any unwanted reactivities, papain digestion and chromatographic separation. Assay b immunoelectrophoresis resulted in a single precipitin arc against anti- Biotin and anti-Goat Serum. No reaction was observed against anti- Papain or anti-Goat IgG F(c).	
			m. No reaction was observed against anti-
			m. No reaction was observed against anti- (c).
Formulation, Trans	sport and Storage	Papain or anti-Goat IgG F	m. No reaction was observed against anti- (c).
Storage Buffer: 0.0	· · ·	Papain or anti-Goat IgG F Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20	 m. No reaction was observed against anti- (c). : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and
Storage Buffer:0.0Phosphate,0.15 M SStabilizer:10	2 M Potassium	Papain or anti-Goat IgG F Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20 thawing. Centrifuge proc room temperature. This	 m. No reaction was observed against anti- (c). : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and duct if not completely clear after standing at
Storage Buffer:0.0Phosphate,0.15 M SStabilizer:10Albumin (BSA) - Immfree	2 M Potassium odium Chloride, pH 7.2 mg/mL Bovine Serum	Papain or anti-Goat IgG F Minimal Cross Reactivity Store vial at 4° C prior to contents and freeze at -20 thawing. Centrifuge proc room temperature. This	 m. No reaction was observed against anti- (c). : none restoration. For extended storage aliquot 0° C or below. Avoid cycles of freezing and duct if not completely clear after standing at product is stable for several weeks at 4° C as an

Application: ELISA, Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections), Immunohistochemistry (frozen sections), Western Blot

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use. Management Manufacturer System BIOZOL ISO 9001:2015 Phone +49 (89) 3799 666 6 www.dianova.com Diagnostica Vertrieb GmbH Fax +49 (89) 3799 666 99 TÜVRheinland Your Secondary Antibody Portal Leipziger Straße 4 E-mail info@biozol.de ZERTIFIZIERT www.tuv.com ID 9000019771 Powered by BIOZOL 85386 Eching www.biozol.de



Product Datasheet / Instruction for use



SEC-183934 2023-02-23 2 / 2

Dilution: ELISA 1:132.000, Immunohistochemistry (IHC) 1:1,000 - 1:5,000, Western Blot (WB) 1:2.000 - 1:10.000

Application Note:

Suitable for immunoblotting, ELISA, immunohistochemistry, immunomicroscopy as well as other antibody based assays using streptavidin or avidin conjugates requiring extremely low background levels, absence of F(c) mediated binding, lot-to-lot consistency, high titer and specificity.

Background Information

Fab Anti-Guinea Pig IgG Biotin Antibody generated in goat detects guinea pig IgG. This product possesses the F(ab) region possessing the epitope-recognition site, both heavy and light chains of the antibody molecule are present. Secondary Antibodies are available in a variety of formats and conjugate types. When choosing a secondary antibody product, consideration must be given to species and immunoglobulin specificity, conjugate type, fragment and chain specificity, level of cross-reactivity, and host-species source and fragment composition.

Safety Information

This reagent contains sodium azide (a poisonous and hazardous substance) as preservative. Although this concentration is not regarded as dangerous to health, appropriate measures should be taken to avoid skin and eye contact, inhalation, and ingestion. Standard Laboratory Practices should be followed when handling this material.

Disclaimer

This product is warranted to perform in conformance with product specifications and to be free from defects in material and workmanship. Products are supplied for research use only. The warranty provided herein is valid only when used by properly trained individuals. Unless otherwise stated, this warranty is limited to one year from date of shipment when the product is subjected to normal, proper and intended usage. Buyer's exclusive remedy for non-conforming products during the warranty period is limited to replacement of or refund for the non-conforming product(s). There is no obligation to replace products as the result of accident or disaster or inappropriate use of the products in a manner for which they were not designed, or improper storage and handling of the products.

This product is for In Vitro experimental use only. Not for Therapeutic or Diagnostic use.

Manufacturer

BIOZOL **Diagnostica Vertrieb GmbH** Leipziger Straße 4 85386 Eching

Phone +49 (89) 3799 666 6 Fax +49 (89) 3799 666 99 E-mail info@biozol.de www.biozol.de

www.dianova.com Your Secondary Antibody Portal

Powered by BIOZOL

TÜVRheinland ZERTIFIZIERT

Management ISO 9001:2015

System

ID 9000019771